# **Studs** • DIN 6379 for nuts for T-slots 23040.0105



#### **Product Description**

Studs combined with T-nuts DIN 508 (EH 23010./23020.), fixture nuts DIN 6330 (EH 23070.) and plain washers DIN 6340 (EH 23060.) become complete clamping studs. These studs are characterised by the rolled thread.

### Material

· Heat-treated steel

More information

#### References

For torques and strengths please refer to appendix - Technical Data - Studs with elongated dimension  $b_1$  also available.

#### **Further products**

- Nuts for T-Slots, DIN 508
- Studs, DIN 6379 b<sub>1</sub> long for nuts for T-slots
  Studs, with internal hexagon, similar to DIN 6379, for nuts for T-slots
- Shaft / Plain Washers, DIN 6340 heattreated
- Fixture Nuts, DIN 6330 (height 1,5 d)

# Drawing




# Order information

Dimensions				Ĭ	Art. No. <sup>1)</sup>
d	1	b <sub>1</sub>	<b>b</b> <sub>2</sub>		
[mm]				[g]	
quality 10.9					
M10	160	13	100	78	23040.0105

<sup>1)</sup> DIN standards do not include these dimensions.

# **Application example**





# Compliance

# **RoHS compliant**

Compliant according to Directive 2011/65/EU and Directive 2015/863.

## Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 27.06.2024.

# **Does not contain Proposition 65 substances** No Proposition 65 substances included.

https://www.P65Warnings.ca.gov/

# Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.