# BASEPLEX soft-face mallets • Nylon / cellulose acetate with zinc die cast housing and wooden

handle

3968.030



## **Product Description**

While representing the price entry model in the product line, the BASEPLEX undoubtedly lives up to Halder's high quality standards. The BASEPLEX series 3968 comprises the insert combination of cellulose acetate / nylon.

The red cellulose acetate insert is both hard and oil and grease resistant.

The white nylon insert is even slightly harder than the red one and also wear-resistant.

Made of high-quality zinc die-cast, the body comes with an overstrike protector and a technically advanced holder for the inserts.

The wooden handle is ergonomic and varnished.

The inserts and the handle are replaceable.

This version is available in sizes ranging from D25mm to D50mm.

Product features:

- · BASEPLEX soft-face mallet with the insert combination of cellulose acetate (red, hard, oil and grease resistant) / nylon (white, wear-resistant).
- · Price entry model of the product line with accustomed Halder quality.
- · Body made of high-quality zinc die-cast with an overstrike protector and a technically advanced holder for the inserts.
- · Ergonomic, varnished wooden handle.
- Inserts and handle are replaceable.
- Available in sizes of D25mm to D50mm

### **Application Areas**

For light to medium use, Installation work

#### **Material**

#### Handle

Wood

#### insert 1

- · Nylon, white
- hard
- · Very wear-resistant
- · no chipping (even at tempeatures below
- · Oil and grease resistant

#### insert 2

- · Cellulose acetate, red
- hard
- · Oil and grease resistant

### Housing

Erwin Halder KG

· Zinc die-cast

## **Order information**

| Ø    | <b>—</b> | Dir<br><b>—</b> i | nensions<br>Length x Width x Height | Ĭ   | GTIN          | proficl@ss<br>5.0 | ecl@ss 10.1 | Art. No. |
|------|----------|-------------------|-------------------------------------|-----|---------------|-------------------|-------------|----------|
| [mm] |          |                   |                                     | [g] |               |                   |             |          |
| 30   | 95       | 280               | 280 x 95 x 30                       | 360 | 4030618304159 | AAA905c002        | 21-04-09-16 | 3968.030 |



www.halder.com Page 1 of 5

Published on: 10.8.2024

# **Application example**





Page 2 of 5 Published on: 10.8.2024

www.halder.com



www.halder.com

Erwin Halder KG







# Compliance

## **RoHS** compliant

Contains lead - compliant according to exceptions 6a  $\prime$  6b  $\prime$  6c.

## Contains SVHC substances >0,1% w/w

Contains lead - SVHC list [REACH] as of 27.06.2024.

# **Contains Proposition 65 substances**



Lead can cause cancer and reproductive harm from exposure https://www.P65Warnings.ca.gov/

# **Free from Conflict Minerals**

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



Page 5 of 5 Published on: 10.8.2024